


Technical Manual





Index

1 The DocCheck Login	4
1.1 What is the DocCheck Login?	4
1.1.1 What does the DocCheck Login offer?	4
1.2 Functionality	5
1.3 Additional functions of the DocCheck Login	6
2 DocCheck CReaM	7
2.1 What is DocCheck CReaM?	7
2.2 Implementation of the logins on your site	8
2.2.1 Step 1: Create company account in DocCheck CReaM	8
2.2.2 Step 1.1: Becoming administrator to the pre-existing company account	10
2.2.3 Step 2: Create login for your website	10
2.3 Modify a login	14
2.4 Configuration of the "Routing" function of the Economy License	15
2.5 Creating company and test passwords	15
2.5.1 Company passwords	15
2.5.2 Test passwords	17
2.6 Guidelines for integrating DocCheck Logins	19
2.7 Technical information	19
2.7.1 Login-ID	19
2.7.2 Frames	19
2.7.3 Configuration example of an iframe HTML code	20
2.7.4 Website-Parameter	20
3 Additional security for your login	21
3.1 Setting a session variable in cookies	21
3.2 Transfer of parameters: Passing on a session ID through the login	21
3.3 Non-recommended security measures	21
3.4 OAuth2 protection	22



4 The Economy License in detail	23
4.1 Transfer of parameters	23
4.2 Unique Key	23
4.3 User routing by profession, country or language	24
4.3.1 Principle & workflow of the routing	25
5 The Business License in detail	27
5.1 DocCheck Personal – transfer of visitor's personal data	27
5.1.1 Form customization	28
5.1.2 Adapting query to the consent function	29
5.1.3 Technicalities of DocCheck Personal – Transfer of data	29
5.1.4 DocCheck Personal – Behavior of company and test passwords	30
5.1.5 Principle of DocCheck Personal	31
5.2 Access for the company's employees	31
6 Statistics option in detail	33
6.1 Statistics on the usage of your site	33
7 DocCheck App Login	36
8 DocCheck Search	36
9 Your contact	37
10 Attachment A	38
10.1 DocCheck-Login-Code examples	38
10.1.1 Standard	38
10.1.2 Routing	38
10.1.3 Transfer	39
10.1.4 Unique Key	39
10.1.5 Parameter	39



1 The DocCheck Login


Your online access to healthcare professionals


1.1 What is the DocCheck Login?

With the DocCheck Login you are able to very simply establish a protected area on your site, which is only accessible to (medical) professionals. The DocCheck password protection is an identification service for medical sites which is compliant with the German law for pharmaceutical commercial information HWG (Heilmittelwerbegesetz). When using the free Basic License you use our infrastructure for registration, user support and professional group testing. With this aim in mind, you simply configure a login in our web-based login configuration system DocCheck CReaM (see ► 2.1) and connect the automatically generated HTML code to the iFrame by using the login form on your website: done.

1.1.1 What does the DocCheck Login offer?

- HWG-compliant: presentation of pharmaceutical online contents
- Exclusive: contents only accessible to healthcare professionals
- Attractive: many potential visitors from across a wide membership base
- Cost-effective: saves on registration, user management and user support





1.2 Functionality

Login by healthcare professionals on your site works like this:

1. The visitor enters his or her login information in the login form. The data is sent in encoded form to the DocCheck login server.
2. DocCheck checks whether the credentials are correct and whether the visitor belongs to the authorised professional group. If this is the case, he or she is then transferred to the protected area.
- ! In such instance where the login information is incorrect or the visitor does not belong to the professional group, he or she receives an error message.

Please note: The Basic License solely serves for authentication of a user. With the Basic License the closed area is protected via redirection to an unknown URL. If this target URL is set as a bookmark or copied and published anywhere or disclosed to third parties, users are then able without authentication to get access to a protected area. Additional security is provided here as part of the Economy License (see ► 4. and ► 5.).

1.3 Additional functions of the DocCheck Login

In addition to the free password protection functions, you can with the DocCheck Login learn more about visitors to your site – in anonymous form as a statistical evaluation or in more personal form by transfer of data along with the prior consent from the visitor. This way you can with respect to marketing, websites or external work schedule adapt your website to your target audience.

The Basic License can have its set of functions expanded according to your requirements in order to include the following fee-based functions:



The Economy License

The Economy License (see ► 4.) includes all the features of the Basic License and offers additional security via transfer parameters, the anonymous identification of recurring users using a clearly defined key (Unique Key) and assorted forwarding of visitors to different target pages according to occupation, language or country (routing).



The Business License

The Business License (see ► 5.) includes all the features of the Basic and Economy License. In addition, with the visitor's consent, you will receive their professional and contact information for your own use, e.g. for customising the service and site experience for the user. Also included is access for employees of the company, as well.



Statistics

The additional option Statistics (see ► 6.1) can be combined with each license version. It allows you a statistical evaluation of the login processes on your site by frequency and specific individual, as well as criteria such as profession, specialisation, field of activity or country.



Please note: The DocCheck Login can also be used in order to protect access when using mobile applications. For more details, see ► 7 below.



2 DocCheck CReaM

Implementation and management of your online logins

2.1 What is DocCheck CReaM?

DocCheck CReaM (<https://crm.doccheck.com>) is the web-based Customer Relationship Management (CRM) system, which serves as the configuration and management interface for DocCheck Logins. With registration with DocCheck you acquire access to DocCheck CReaM. There you are able not only to carry out the entire administration of your websites quickly and easily but also gain interesting details about the logins on your site. Here you can:

- create and customise logins for the protected areas of your websites
- configure special functions (such as routing)
- create and manage company and/or test passwords in order to enter your site (e.g. if you yourself do not belong to a med. specialist group) or to test your logins
- use the option "Statistics" to check out statistics relating to your logins



2.2 Implementation of the logins on your site

2.2.1 Step 1: Create company account in DocCheck CReaM

In order to create a company account or create the DocCheck Login, you will first need (assuming you do not have one) a DocCheck user account. Using the link <https://www.doccheck.com/com/account/register/> you can register free of cost.



Personal data

[Redacted form fields]

[Red button]

Job and address data

[Redacted form fields]

[Red button]

After registration a link will be sent to you for verification of your filed mail address.



Please note: For the set-up or management of the login it is sufficient to only be registered as a user. The activation only plays a role if you want to get access to other sites, for example those which are protected through our DocCheck Login – assuming that your specialist group is granted access to the relevant website (see ► 2.2.3, Step 2). After registration you are able to set-up and manage the password protection via our web-based login-configuration tool "DocCheck CreaM" on the site <https://crm.doccheck.com>. First of all register your company here: <https://crm.doccheck.com/com/registration>.

Registration of a company account



Country selection



Login

Most frequent problems/error messages with creating company accounts:

- The company's name is already taken in DocCheck CReaM:
Make sure that a company account for your client or company is already stored in our system. A short inquiry to industry@doccheck.com is sufficient for this. We will check it and happily send you alternative proposals.
- Please use a valid URL in the field "Company website":
with URL data entry please always specify <https://> before the address.



2.2.2 Step 1.1: Becoming administrator to the pre-existing company account

As briefly mentioned in ▶ 2.2.1 we can add your DocCheck user account as administrator to an existing company account. Please send us a brief, informally written confirmation from the company account owner (website owner).

- If you are an employee of an agency and wish to be filed as an administrator in one of your client's company accounts we will need written confirmation from your client. This can be sent by mail to industry@doccheck.com. It has to be identifiable through the e-mail domain and e-mail signature that this confirmation message has come from one of those authorised as such.
- You already work for a pharmaceuticals firm and wish to be added as administrator? Then please just send us proof of your profession.


2.2.3 Step 2: Create login for your website

Log yourself in using your DocCheck user account (see ▶ 2.2.1) under <https://crm.doccheck.com/com/> into DocCheck CReaM.



Please note: When you have only just created a new company account, after registration you will automatically land on the CReaM-start page, on our so-called "Dashboard".

Through the tab "Password protection → Login administration" you can create new or adjust existing logins. When you create a login for the first time, to begin with please create a new folder (button: "Create new folder"). Then click on the button "Create login", in order to create a new login within the folder.




Creation of a login is carried out in three steps:

1. Provide basic data in the first tab inside the fields.

- Name: Name of your login (e.g. name of website)
- Login URL: URL of the page in which the login-form should be displayed (e.g. <https://www.pharma-test.com/>)
- Target URL: URL of the page on which the user is supposed to end up after successful login (e.g. <https://www.pharma-test.com/protectedarea>)
- Language: Language of the login form and the accompanying pages (such as "Password forgotten", "Registration", "Access not allowed")
- Country: Target market of your site
- Login Status: Choose between "Test", "Active", "Active, not listed" and "Locked".

Login status



Please select whether this login is used for testing purposes ('Test'), used live on a public website ('Active') or disabled ('Locked').

Active logins are advertised on the DocCheck Portal in the category 'websites with DocCheck' automatically. This helps interested visitors to find your website.

If this is not desired, please select 'Active, not listed' as the login status.

Create new login

1. Basic data 2. Access groups 3. Code generation 4. Specials (optional)

Login name

Login URL

Target URL

Language Country
German Germany

Login status
Test

Please enter a descriptive name for this login here. This name will only be used within DocCheck OIesM and is not displayed to the visitors of your website.

To facilitate working with your logins, you could use the name of the website protected by this login. Further information about the use of the login could also be included.

Examples: "My site", "Testserver - My site" or "My site - professionals"

Please note: If your cursor is within one of the above fields, an information box with useful information appears on the right side when you create a login.

2. In the second tab, you define the profession groups (physician, pharmacist, student, etc.) which are supposed to have access to your protected area.

Edit login

1. Basic data **2. Access groups** 3. Code generation 4. Specials (optional)

Users with which professions should be admitted to the site?

Physician	<input type="checkbox"/>
Veterinary	<input type="checkbox"/>
Dentist	<input type="checkbox"/>
Pharmacist	<input type="checkbox"/>
Pharmaceutical Industry Employee	<input type="checkbox"/>
• Student	<input type="checkbox"/>
• Other Medical Professions	<input type="checkbox"/>
Other Non-Medical Professions	<input type="checkbox"/>

The DocCheck Login enables you to define which profession groups can access your website. Members of other profession groups will be rejected with an explanatory message.

Please select the profession groups that should be granted access and click on 'save and continue'.

3. In the third tab, you select the design of the login form from four standard size options (S, M, L or XL). Here you get the HTML code for the iFrame which allows you to embed the login form into your website.

Edit Login

1. Basic data 2. Access groups **3. Code generations** 4. Specials (optional)

Please choose one of the available login templates, then copy and paste the HTML code into your website.

Login template

Login S Login M Login L Login XL

Language: German Country: Germany



```
<iframe align="left" frameborder="0"
scrolling="no" width="467" height="231"
name="dc_login_iframe" id="dc_login_iframe"
src="https://login.doccheck.com/code/de/20000
00016698/login_xl/" ><a
href="https://login.doccheck.com/code/de/2000
000016698/login_xl/"
target="_blank">LOGIN</a></iframe>
```

Please select a login template for your DocCheck Login. After choosing the template and the country / language combination you can copy the HTML code and paste it to your website.

next



Please note: For a colour, language or complete design adaptation of the form please contact us at industry@doccheck.com.

4. In the fourth tab, you can see special functions that are associated with your login and you are able to configure them (provided the appropriate license types were ordered and enabled on DocCheck's part).

2.3 Modify a login

You can adjust an existing login under "Password protection → Login administration". Just click on the name of a login in the overview which has the corresponding ID.

In the next window, you can among other things modify the URLs (1. Basic data) or the authorised profession groups (2. Access groups) of a login (see also ► 2.2.3).

2.4 Configuration of the "Routing" function of the Economy License

When you use the "Routing" function of the Economy or Business License, you can configure this in DocCheck CreaM (through the tab "4. Specials") (see ► 4.3).



2.5 Creating company and test passwords

As a website owner, you can create user name/password combinations which only enable access to the protected area of your websites. A distinction is made here between the company passwords and test passwords.



Please note: The allocation of the user name as well as of a company password and of a test password operates exactly like the normal DocCheck user account, i.e. the name cannot and must not appear more than once in the DocCheck database.

2.5.1 Company passwords

Company passwords are valid only for the operator's sites. They can be passed onto authorised user groups by those empowered to do this by the website operators, for example to those not belonging to a medical professional circle (e.g. to sales agents, to internal employees, etc.).

In order to create company passwords, select the menu item "Password protection → Company passwords". Click on "Create new company password" and then select the logins for which the password should be valid.

You have the following three options:

1. Validity for all logins within your company account
2. Validity for all logins within one folder
3. Validity for only a single login

In the last step enter a unique user name and password. There is also the option of an expiry date.

Password protection
> Company passwords

Create new
company password

Customise login

Company: Bioboxx	1.	<input type="checkbox"/>
Products	2.	<input type="checkbox"/>
Physicians	3.	<input type="checkbox"/>
Products		<input type="checkbox"/>
Cyberclassic		<input type="checkbox"/>
Cybericin		<input type="checkbox"/>
Cybericin (old)		<input type="checkbox"/>
Name of the login		<input type="checkbox"/>

Save selection

User name
doccheck_user

Password (encrypted)

Valid until
12/31/2015

Save

Please note: Multi-selection of individual logins is unfortunately not possible.
I.e. you cannot assign a company password to separate folders with individual logins.



2.5.2 Test passwords

In order to test the functionality of your logins, we recommend the function "Test passwords". With the test passwords you can test out certain features of your website and logins. Test passwords behave like company passwords, but you can additionally set profession, country and/or language so as to test the function of the logins on your site dependent on these criteria. This includes, for instance, whether the authorised access group gets directed to the protected section of the website. The unauthorised profession group which does not belong to the desired group accordingly receives an error message. Equally well suited are the test passwords for the "Routing" functions (see ► 4.3) and those of the "Personal" features (see ► 5.1). Just try out various routing options with different profession groups (assuming you have the Economy or Business License).

The process of creating test passwords is the same as with the company passwords. Here again, you have the same options (see ► 2.5.1) with respect to validity.



Please note: As many company and test password changes and deletions can be made at any time and as many times as one wishes by the webmaster. Please note also that the profession group which is specified in the creation of test password function is also enabled under the access group of your login (see ► 2.2.3, Step 2). A test password being set as "Veterinarian" therefore also does not acquire the desired access to the protected site if "Veterinarian" is not enabled in the login.

Password protection
> Test passwords

Create new
test password

Customise login

Company: Bioboxx	1.	<input type="checkbox"/>
Products	2.	<input type="checkbox"/>
Physicians	3.	<input type="checkbox"/>
Products		<input type="checkbox"/>
Cyberclassic		<input type="checkbox"/>
Cybericin		<input type="checkbox"/>
Cybericin (old)		<input type="checkbox"/>
Name of the login		<input type="checkbox"/>

Save selection

User name
DocCheck_testuser

Password (encrypted)

Valid until
12/31/2015

Profession
Physician

Discipline
Internal Medicine (general)

Country of origin
United Kingdom

Language
English

Save

2.6 Guidelines for integrating DocCheck Logins

When implementing the DocCheck Logins, note the following:

1. The HTML code provided by DocCheck for the iFrame may not be changed, if this means that
 - the function of the login form or the login gets restricted or changed
 - the login form is no longer or not fully displayed
 - the SRC attribute is changed
 - the alternative link is changed
 - the login form is not loaded directly from the DocCheck server
2. The credentials must be send directly towards the DocCheck Login server, encrypted and via POST.
3. A reading or storing of user name/password combinations by the information provider/website operator violates privacy protection and has **not been** integrated as an permissible function.
4. The input site must be placed in a public area of the relevant website (e.g. in the area of expert information).
5. The DocCheck user has to be able to immediately recognise the DocCheck access options (e.g. Through the use of the DocCheck logo and/ or the DocCheck mascot).
6. The login form must always contain the links to the pages "Password forgotten?" and "Apply for a password".



2.7 Technical information

2.7.1 Login-ID

The URL for the login template which is specified in the SRC attribute of the iFrame-tag and in an alternative link is structured as follows:

```
https://login.doccheck.com/code/12345/com/xl_red/
```

The number "12345" is for each login ID (Attribute "login_id"), the subsequent two to four digit letter code specifies the language of the iFrame ("de", "com", "fr", "it", "es", "nl", "frbe") and the freetext parameter ("s_red", "m_red", "l_red" oder "xl_red") yields the name of the template.


2.7.2 Frames

The target page for logins opens by default in the top frame. If the target, for instance with a frameset page, is supposed to be another frame, the name can be appended. Those permitted include "_top", "_parent", "_self" and "_blank":

```
https://login.doccheck.com/code/12345/com/xl_red/_parent/
```

2.7.3 Configuration example of an iframe HTML code

```
<iframe align="left" frameborder="0" scrolling="no" width="311" height="188" name="dc_login_iframe" id="dc_login_iframe" src="https://login.doccheck.com/code/de/12345678/m_red/">  
<a href="https://login.doccheck.com/code/de/12345678/m_red/"target="_blank">LOGIN</a></iframe>
```



2.7.4 Website-Parameter

If other parameters of your website are supposed to be consigned, they can easily be appended:

- https://login.doccheck.com/code/12345/de/xl_red/session_id=abcd/ok=1
It is recommended here that all non-alphanumeric characters be displayed with their corresponding hex codes in accordance with RFC.
- https://login.doccheck.com/code/12345/de/xl_red/x=y%20%3Fz%3E

Important: The functionality of access to the protected area is not allowed to be made conditional on **any** of these parameters:

- the URL login.doccheck.com (with potential. reference-checks)
- the IP addresses of the DocCheck servers
- the transfer of undocumented parameters ("dc=1")

Please note: Prerequisite for the site parameter is the special feature "Parameter transfer", which is available as part of the Economy License (see ▶ 3.2 and ▶ 4.1).



3 Additional security for your login

In addition to the DocCheck Login you can set-up extra security precautions on your server which impede direct entry into the protected area.

3.1 Setting a session variable in cookies

Precondition for setting a session variable is a dynamic page construction, e.g. ASP, ColdFusion, PHP etc. Setting of session variables must be carried out via your website.

Your website prior to login (e.g. on the login page) sets a session ID and stores this in a cookie. After login, your website makes another query to the cookie in the protected area. If it is not set or the session in question has expired, your website can deny access. Disadvantage: Users who do not accept cookies are not able to enter the protected area.

3.2 Transfer of parameters: Passing on a session ID through the login

Alternatively to the procedure in 3.1, the session ID can be transferred as a parameter through the DocCheck Login. This protection also works with disabled cookies. Transfer of parameter and the optional coding are part of the Economy and/or Business License (see ► 4.1).

The invocation sent to the protected area is only possible via bookmark or relayed link if the current session has not expired or the user has gotten a new valid Session ID and gained access in this way.

3.3 Non-recommended security measures

The querying of referrers is not something we generally recommend because it is highly dependent on the browser.

We also advise against .htaccess-protection because current browsers no longer support bypass as such by invoking the URL: `https://login:password@www.webserver.xy`.

3.4 OAuth2 protection

From the Economy License on, you can check if a user has been successfully authenticated by verifying the authorization code and using it to fetch an Access Token.

For this, the authorization code gets appended to the target URL as code parameter. This code can then be sent to the Access Token endpoint, together with the priorly communicated Client Secret and the Client ID (Login ID), in order to retrieve an Access Token:

Request:

```
POST https://login.doccheck.com/service/oauth/access_token/  
  client_id={login_id}  
  &client_secret={client_secret}  
  &code={code}  
  &grant_type=authorization_code
```

Response:

```
{  
  "access_token": "f9ed....",  
  "token_type": "Bearer",  
  "expires_in": 86399,  
  "refresh_token": "52a4...."  
}
```



4 The Economy License in detail

The Economy License complements basic password protection features for additional security (see ▶ 3.) and for identifying recurring users.

4.1 Transfer of parameters

With the "Transfer of parameters" function you can transfer any parameters through the login back to your website.

The parameters are attached as "variable=value"-pairs to the URL in the iFrame:

```
https://login.doccheck.com/code/test=1/anderertest=abcde
```

If the values contain slashes (/) these have to be transferred as hexcode. Transferred parameters are attached to the target URL as GET parameters..

4.2 Unique Key

Using the Unique Key you can identify recurrent users anonymously. Each registered user possesses a unique, always consistent DocCheck ID. In the event of a login on your website DocCheck conveys the unique ID (Unique Key) in alphanumeric string form (up to 50 characters). You can allocate the data of a user to the Unique Key and offer him or her a personalised web site.

With each login the unique key of the user is transferred as a GetParameter to your website, for example

```
http://www.bioboxx.com/secure/script?uniquekey=a1b2c3
```

The Unique Key does not contain any personal data. For the transfer of personal data accompanied by consent of the user you can use the Business License's DocCheck Personal (see ▶ 5.1).




4.3 User routing by profession, country or language

Using the "Routing" function, you allocate to your users the pages which they seek. The use of routing is recommended if you

- have different site sections for (for instance) pharmacists and physicians
- offer different language versions for one product page
- offer different content for users from different countries.

To set up routing, your website needs to provide one specific URL or URL-parameter for each target group.

You set the destination URLs for the routing in the configuration tool CReAM under <https://crm.doccheck.com/com/>. Click under "Password protection → Login administration" in the login overview for the desired login for which you want to set up a routing, and select the tab "4. Specials (optional)".



The screenshot shows the 'Edit login' interface with four tabs: '1. Basic data', '2. Access groups', '3. Code generation', and '4. Specials (optional)'. The '4. Specials (optional)' tab is active. Below the tabs, there is a description: 'This overview shows you the license functions which are currently active for this login.' The main content is divided into two columns. The left column is titled 'Business license' and contains a list of features: 'Basic features' (User registration, Profession check, User support in 6 languages, Basic password protection) and 'Special features'. The right column is titled 'Specials assigned to this login' and contains three items: 'Economy: Country Routing (configure)', 'Economy: Language Routing (configure)', and 'Economy: Profession Routing (configure)'. Each item has a minus sign icon to its right.

If special "Routing" is enabled for the login, click the "Configure" link. Here you can – depending on the type of routing – select professions, countries or languages and specify each of the separate destination URLs.

Edit profession routing


Profession routing
Users of your DocCheck Login can be redirected to different target URLs depending on their profession

Select a profession:
Please select a profession

01. Dentist

02. Physician

4.3.1 Principle & workflow of the routing



Password protection
> Login administration



1.
Basic data

2.
Access groups

3.
Code generation

4.
Specials (optional)

Specials assigned to this login 1.

Economy: Country Routing (configure)

Economy: Language Routing (configure)

Economy: Profession Routing (configure)

Select a profession:

Pharmacist 2. Add

02. Physician

http://www.bioboxx.com/physician 3.

save



5 The Business License in detail

The Business License includes all the features of the Economy License. In addition, you come into personal contact with the users of your website.

5.1 DocCheck Personal – transfer of visitor's personal data

With DocCheck "Personal", when given the user's consent you acquire the user's personal data (name, address, e-mail address, profession, specialty for physicians). You can take these pieces of data into your own Customer Relationship Management (CRM) System. Managing and obtaining the consents you need is entirely on your end.

After logging in, the user will see an intermediate page that displays a form with his or her data and the reason for data sharing is explained. The user is asked to consent to data sharing.

The screenshot shows a web form with a red header containing the DocCheck logo and name. The main content area is white and contains the following text:

John, this website would like to get to know you!

Please note the following message of Bioboxx:

The company **Bioboxx** provides services specifically tailored to your needs. If you would like to use the services on this website, **Bioboxx** kindly asks for some information about you.

This is your calling card:

John Doe
Physician (Surgery - Orthopaedic and Trauma Surgery)
john.doe@doe-clinics.com
50823 Germany
Not your current data? [Click here ...](#)

Yes, I agree with the transmission of these data to **Bioboxx** and accept the terms and conditions of Bioboxx.

No, I prefer to enter this website anonymously.

At the bottom of the form, there are links for "Terms of use", "Privacy", and "Imprint", and a copyright notice: "© 2021 DocCheck Community GmbH".

For the purposes of ease of use, we recommend also granting access to your website to those users who do not consent to the data transfer.



Please note: The link to the "Terms of service" and "Data Privacy Policy" has to be provided by the website operator.

By default, the consent request occurs once at first login.




Please note: As a website owner you can decide whether the form should only be displayed once or, for example, until the user has consented to the data transfer (see ► 5.1.3).

5.1.1 Form customization

Customization of single-line text and integration of your logo

1. The standard greeting text above the personal form can be adapted according to your personal wishes (our recommendation: max. 2 paragraphs of 3–4 lines).
2. In addition, your company logo can be included (max. size of logo: 125px x 125px; image file type: PNG; background: transparent).



The screenshot shows a consent form with a red header containing the DocCheck logo and name. The main content area is white and contains two numbered steps:

1. **John, this website would like to get to know you!**
Please note the following message of Bioboxx:

The company **Bioboxx** provides services specifically tailored to your needs. If you would like to use the services on this website, **Bioboxx** kindly asks for some information about you.
2. 

5.1.2 Adapting query to the consent function

Per default, the request for agreement to data transfer is displayed only once upon first run of the login process, but this can be adjusted according to your needs. Please contact us if you have this in mind.

Displaying the form at every login until the user agrees

By default, the user is asked to give consent at first login. The selection will be saved and the form does not appear again. With this function you display the personal form to those users who have not consented to data transfer at every login until he or she has consented to the data transfer.

Data transfer with non-consent

If a user does not consent to the transfer of their data, the Unique Key will nonetheless be transferred for anonymous re-identification.

5.1.3 Technicalities of DocCheck Personal – Transfer of data

The user's data can be retrieved from the User Data endpoint after the user's consent. For this, the authorization code (the 'code' parameter that is appended to the target URL) needs to be used to fetch an Access Token.

Detailed information can be found here: https://redirect.doccheck.com/oauth2_documentation

Access Token

Request:

```
POST https://login.doccheck.com/service/oauth/access_token/  
client_id={login_id}  
&client_secret={client_secret}  
&code={code}  
&grant_type=authorization_code
```

Response:

```
{  
  "access_token": "f9ed....",  
  "token_type": "Bearer",  
  "expires_in": 86399,  
  "refresh_token": "52a4...."  
}
```

User data

The retrieved Access Token can be used to retrieve the user's data at the User Data endpoint via the Authorization header.

Request:

```
POST https://login.doccheck.com/service/oauth/user_data/  
Authorization: Bearer {access_token}
```

Response:

```
{  
  "uniquekey": "abcd...",  
  "address_name_first": "John",  
  "email": "someone@xyz.xy"  
}
```

5.1.4 DocCheck Personal – Behavior of company and test passwords

When logging in with a company password, the Personal form is not displayed.


When logging in with a test password, the Personal form is populated with data, that can be used to test the transfer of special characters.

```
{  
  "valid": "1",  
  "uniquekey": "d902739aa663724bc660564563068164",  
  "address_gender": "f",  
  "address_name_title": "Dr.",  
  "address_name_first": "Example_äöüß",  
  "address_name_last": "Example_ÄÖÜ",  
  "address_street": "Example Street",  
  "address_postal_code": "50823",  
  "address_city": "Köln",  
  "address_country_id": "60",  
  "address_country_iso": "CH",  
  "occupation_profession_id": "1",  
  "occupation_profession_parent_id": "1",  
  "occupation_discipline_id": "1",  
  "email": "deleted@doccheck.invalid"  
}
```

Please note: For test passwords, the Personal form always gets displayed – disregarding if consent has been given before or not with this user.

If the username of the test password is an email address, this email address will be returned with "+testuser" appended to the address part: if the username is "abc@efg.hi", the email value will be returned as "abc+testuser@efg.hi".

5.1.5 Principle of DocCheck Personal




5.2 Access for the company's employees

Normally, you control access to your website by selecting the approved profession groups (physicians, pharmacists, students, employees of the pharmaceutical industry etc.) via the configuration tool CReaM (see ► 2.2.3). If you as a pharmaceutical company provide protection to a website with DocCheck and wish to exclude the group "Employees of the pharmaceutical industry", employees of your company also no longer have access when using their DocCheck passwords.

We can prevent this happening by permitting that only employees of your company from within the group "Employees of the pharmaceutical industry" get access.

From a technical viewpoint, the e-mail domain of the user is checked at login. If the e-mail address is one belonging to your company, the user will be authorised, otherwise he or she will be denied access. Please send us for this reason the e-mail domains which are supposed to continue to have access to your site despite the disabling of the profession group (the pharmaceutical industry employees).



Please note: Employees of other companies who are registered with DocCheck as a physician or pharmacist continue to have access to your site.



6 Statistics option in detail

6.1 Statistics on the usage of your site

The additional option statistics can be combined with any license (Basic, Economy, Business or App). Here you can retrieve the statistical analysis for all your company's logins in DocCheck CReAM. Under "Password protection → Statistics" you can find out which professional and specialist groups log in on your site and how often. A breakdown by age, gender, country or region is also possible. This way you find out with which users your website goes down particularly well, and you can optimise the contents accordingly.

Filtering occurs through the statistics tool based on the following attributes:

1. Time interval:

- Start and end date

2. Filter:

- All login actions
- Unique visitors per day

3. Evaluation:

- Logins per day
- Professional groups
- Specialties (Physicians)
- Fields of activity (Physicians)
- Fields of activity (Pharmacists)
- Majors (Students)
- Gender
- Countries
- Postcode (DE)
- Age
- Login rate per user

The statistical analysis of logins may be carried out as follows:

1. For all logins within your company accounts
2. For all logins within a folder
3. For only a single login



Please note: Multiple selection of several individual logins or different folders is possible here.



Password protection
> Statistics


Select logins

Customise login

All logins of the company Bioboxx	1.	<input type="checkbox"/>
Login myhealth	2.	<input type="checkbox"/>
arturo	3.	<input type="checkbox"/>
Main		<input type="checkbox"/>
BioTest		<input type="checkbox"/>
BioTest		<input type="checkbox"/>


Save selection

Statistics



Statistics

Start date: End date: Filter: Evaluation:





7 DocCheck App Login

The DocCheck Login may be also be employed for authentication of the professional affiliation in mobile applications including iOS or Android. For integration of the DocCheck Login you need the Mobile Login Framework.

For details please visit: https://github.com/antwerpes?q=dc_



8 DocCheck Search

The search engine for login protected content

DocCheck Search - The search engine for login protected content While other search engines capitulate when facing HWG (German laws on pharmaceuticals advertising), DocCheck only then really gets going: the first search engine for healthcare professionals leads your audience safely to information on your protected product!

For detailed information click here: <https://more.doccheck.com/en/industry/search/>





9 Your contact



Lara Wild
Product Manager



Despina Balis
Junior Account Manager



+49 221 92053-595
industry@doccheck.com





10 Attachment A

Example for the processing of parameters

10.1 DocCheck-Login-Code examples

10.1.1 Standard

IFRAME:

https://login.doccheck.com/code/de/xl_red/000000

Target URL (example, defined by client):

<https://www.yourserver.com/?login=ok>

Landing page:

```
if ($_GET['login'] == 'ok') {  
    $_SESSION['is_logged_in'] = 'yes';  
} else {  
    Header('Location: loginn.php');  
    exit();  
}
```

On any other page except login.php:

```
if ($_SESSION['is_logged_in'] != 'yes') {  
    Header('Location: login.php');  
    exit();  
}
```

10.1.2 Routing

IFRAME:

as in standard

Target URL (example, defined by client):

<https://www.yourserver.com/?...&profession=physician>

Landing page:

```
Header('Location: ' . $_GET['profession'] . '.php');  
exit();
```



10.1.3 Transfer

IFRAME:

as in standard

Return URL:

https://www.yourserver.com/?...&dc_profession_id=1

Landing page:

```
if ($_GET['dc_profession_id'] == 1) {  
    Header('Location: physicians.php');  
    exit();  
} else if ($_GET['dc_profession_id'] == 2 {  
    Header('Location: pharmacists.php');  
    exit();  
}
```

10.1.4 Unique Key

IFRAME:

as in standard

Return URL:

<https://www.yourserver.com/?...&uniquekey=abcde>

Landing page:

```
$strUserId = $_GET['uniquekey'];  
$_SESSION['dc_user_id'] = $strUserId;
```

10.1.5 Parameter

IFRAME:

https://login.doccheck.com/code/de/xl_red/000000/a=b/c=d/e=foo{slash}bar

or form:

```
<input type="hidden" name="a" value="b">  
<input type="hidden" name="c" value="d">  
<input type="hidden" name="e" value="foo/bar">
```

Return URL:

<https://www.yourserver.com/?...&a=b&c=d&e=foo/bar>

Landing page:

```
$a = $_GET['a'];  
$c = $_GET['c'];  
$e = $_GET['e'];  
echo $e; // yields "foo/bar"
```

